



**TUOHUA**

**Manufacture**

SINCE 1996

## PORTFOLIO

### Agriculture Protective Production

- PE Shade Netting
- Greenhouse Anti Insect Net
- Anti Hail Net
- Greenhouse Film
- Plant Support Net
- Anti Bird Net
- Olive Net
- Woven Weed Mat
- Needle Punched Woven Weed Mat

### Public Fence Netting

- Sunshade Net
- Shade Sail
- Privacy Fence Net
- Balcony Net
- Warning Fence Netting
- PE Security Fence

### Tarpaulin/Canvas

- PE Tarpaulin
- PVC Tarpaulin
- Cotton Canvas
- pp woven bag

### Construction Protective Netting

- Construction Safety Net
- Scaffolding Net
- Orange Safety Fence
- Knitted Orange Fence
- Fiberglass Mosquito Screen

**23 Year Factory with advanced Quality Management System**

**Win-Win situation & Honest and Creditable**

**Email:sales@wiremeshofchina.com**



# Agriculture Protective Production

Agriculture Protective Production



## Agriculture Protective Production

PE Shade Netting-  
Greenhouse Anti Insect Net-  
Anti Hail Net-  
Greenhouse Film-  
Plant Support Net-  
Anti Bird Net-  
Olive Net-  
Woven Weed Mat-  
Non Woven Fabric-  
Needle Punched Woven Weed Mat-



Agriculture Protective Production >>>

## Shade Net

////////////////////  
Agriculture Protective Production



Shade Net is made of polyethylene (HDPE) material by adding UV stabilizers and anti-oxidants. HDPE sunshade net has the characteristics of lightweight, high-strength, anti-aging, large-area coverage and it has the ability to adjust control environment, optimizing climate and improve plants in the growth of adverse climate conditions.

**Shade Net** is mostly used in agriculture as ventilae shade net for greenhouse, offering the features of light reflection and transmission , breath freely, long usage life and stable performane

- ◆ **Material** : HDPE with UV treated
- ◆ **Shade Rate** : 30% - 95%
- ◆ **Weight** : 30gram/m<sup>2</sup>~380gram/m<sup>2</sup>
- ◆ **Width** : Mono type:1m ~6m,Flat type 1m~12m
- ◆ **Normal Size** : 2X50m/roll,3X50m/roll,4X50m/roll etc
- ◆ **Length** : 30m,50m/roll or as your requirements
- ◆ **Color** : Green, dark green, black, yellow, gray, blue, etc








Weight: 40g/m<sup>2</sup>  
Width: 1-12m  
Length: 50m;100m  
Shade rate: 45%



Weight: 70g/m<sup>2</sup>  
Width: 1-12m  
Length: 50m;100m  
Shade rate: 65%



Weight: 60g/m<sup>2</sup>  
Width: 1-12m  
Length: 50m;100m  
Shade rate: 55%




Weight: 90g/m<sup>2</sup>  
Width: 1-12m  
Length: 50m;100m  
Shade rate: 75%



Weight: 40g/m<sup>2</sup>  
Width: 1-12m  
Length: 50m;100m  
Shade rate: 40%



Weight: 160g/m<sup>2</sup>  
Width: 1-6m  
Length: 50m;100m  
Shade rate: 85%



Weight: 180g/m<sup>2</sup>  
Width: 1-6m  
Length: 50m;100m  
Shade rate: 90%



Weight: 220g/m<sup>2</sup>  
Width: 1-6m  
Length: 50m;100m  
Shade rate: 92%



Weight: 280g/m<sup>2</sup>  
Width: 1-6m  
Length: 50m;100m  
Shade rate: 95%



Weight: 330g/m<sup>2</sup>  
Width: 1-6m  
Length: 50m;100m  
Shade rate: 96%




Weight: 360g/m<sup>2</sup>  
Width: 1-6m  
Length: 50m;100m  
Shade rate: 97%



Weight: 320g/m<sup>2</sup>  
Width: 1-4m  
Length: 50m;100m  
Performance:waterproof



More Choices of Type



More choices of reinforced edge





## Plastic Insect Net

Agriculture Protective Production



The net is made of monofilaments that are manufactured with special UV-resistant materials, giving the net durability and longevity. It has strong tucked selvages, and is flexible, light, and easy to spread.

- ◆ **Material** : 100% virgin HDPE material with UV
- ◆ **Color** : Transparent, Black, green, blue, etc
- ◆ **Weight** : 25g/m<sup>2</sup> --- 300g/m<sup>2</sup>
- ◆ **Mesh** : 20mesh --- 100mesh
- ◆ **Life span** : 4-5 years
- ◆ **Functions** : prevent the insect flying invasion during the plants growing, and cover the plants from birds





Covering your vegetables and fruit with our insect mesh netting will protect them from a range of insect pests, birds, rabbits and the weather.

### Our insect netting will keep out:

Cabbage root fly, carrot fly, cabbage white butterfly, pea moth, leek moth, cutworm, onion fly, leaf miners and many species of aphids.


Vegetables or fruit may be covered all the year round from planting right up to harvest.

Lay flat over the bed allowing enough slack for the growth of the crop, bury the edges or secure with pegs ensuring there are no gaps



## Anti Hail Net

Agriculture Protective Production



**Anti Hail Net** is special knitted net to protect the crops from hail, even after violent hailstorms. It also reduce sudden temperature changes and wind gusts that would damage most crops.

Material	100% PE new material
Width	1m , 1.5m , 2m , 2.5m , 3m , 3.5m , 4m, 5m, 6m etc
Length	10m, 50m, 100m, 200m, 300m or as your request
Color	White, Black, Green, Dark Green, Yellow, Gray, Blue, etc



# Greenhouse Film

Agriculture Protective Production



Droplets formed at the inside surface of greenhouse plastic film due to water-condensation have negative consequences on plant quality and growth, as they reduce light-transmission by 15-30% and increase the incidence of certain diseases. And the bad dripping effect causes water drop damage plants.

The greenhouse plastic film that contain special additives which eliminate droplets and form instead of a continuous thin layer of water running down the sides, protect the plants from water drop damage.



Processing	Blow molding type
Material	New Polyethylene with UV treated
Thickness	20micron---500micron
Width	up to 20meters
Length	as your need
Color	transparent,white,black , blue ,green,yellow and white,etc
Lead time	25days
Payment	T/T , L/C , West union ,Credit card
Application	Rain Protection Tarps & Covers ,plastic fruit tree cover, grain storage, greenhouse film, tunnel cover





**Anti Bird Net**

Agriculture Protective Production



Prevent the bird out of the net. Key off the approaches that the bird breeding.

Effective control of the spread of all kinds of birds, and prevent the harmful virus from spreading. And have the use for translucent, moderate shading. Create favorable conditions suitable for crop growth.

<b>Material</b>	100% new material
<b>Width</b>	1m, 1.2m, 1.5m, 1.8m, 2m etc
<b>Weight</b>	6g-50/m <sup>2</sup>
<b>Mesh Size</b>	10m x 10m, 15m x 15m, 15m x 17m etc
<b>Type</b>	Extrude

**Plant Support Net**

Agriculture Protective Production





Be used to support and encourage the growth of climbing vegetable crops including garden peas, runner beans, cucumbers, marrows, tomatoes, sweet peas and clematis by providing the crops with lateral support. The netting is usually stretched or draped over a support frame, bamboo canes or against a wall.

<b>Material</b>	100% new material
<b>Width</b>	2m, 3m, 4m
<b>Roll Lengths</b>	5m, 10m, 100m or by requirements
<b>Hole Size</b>	10mm, 15mm, 20mm
<b>Weight</b>	6g-50/m <sup>2</sup>
<b>Type</b>	Extrude

**Olive Net**

Agriculture Protective Production



**Olive Net** is Knitted by virgin HDPE with UV weight 60-130 grams per square meter. Due to its light weight, flexible and durable construction, it is ideal for collecting olives, by placing the olive net a few centimeter above the ground, then the olive net can avoid contacting between olive and soil.

<b>Material</b>	HDPE with UV treated
<b>Weight</b>	60~130gsm
<b>Size</b>	6x8m, 8x10m, 10x12m etc
<b>Color</b>	Green



## Non Woven Fabric

Agriculture Protective Production



**Ground Cover** is also called anti grass cloth, weed control fabric, anti weed mat, weed barrier, ground cover fabric and easily applied either by hand or with hand-held dispenser; the wrap adheres to itself once it is wrapped around the pallet or around goods and protects the goods against dust and weather and will retain its tension whilst in transit.

Use Weed control mat as a surface mulch in the green house, as pathways in the vegetable garden, in a strawberry bed (also suppresses slugs and keeps fruit dry), around young trees and saplings. Used anti weed mat on a vegetable bed prior to planting it will warm the soil and conserve moisture.


<b>Material</b>	100% PP with UV treated
<b>Width</b>	0.4m-6m
<b>Length</b>	50m,100m or as your request
<b>Mesh</b>	12*12mm;16*16mm
<b>Colours</b>	Black, Green, Or white (any colour is available)
<b>U.V.</b>	as per required

## Needle Punched Woven Weed Mat

Agriculture Protective Production



1. Cover crops in the ground surface, prevent weeds and against the insect.
2. Controlling soil humidity and the temperature
3. Does not affect the growth of the crops.
4. Protects plants from harmful solar radiation
5. Air permeability, water permeability help crops growth.
6. Mothproof, eco-friendly, breathable, anti-bacteria, tear-resistant, fusible



<b>Weight</b>	70g/m2--200g/m2
<b>Width</b>	0.4m-6m.
<b>Lengths</b>	50m,100m,200m or as your request.
<b>Shade rate</b>	30%-95%;
<b>Colours</b>	Black, Green, Or white (any colour is available)
<b>Material</b>	100% material of PE/PP
<b>Delivery time</b>	35 days after order
<b>U.V.</b>	As your request



# Public Fence Netting

Public Fence Netting



## Public Fence Netting

Sunshade Net-  
Warning Fence Netting-  
PE Security Fence-  
Privacy Fence Net-  
Shade Sail-  
Balcony Net-  
Silt Fence-

Public Fence Netting >>>

## Shade Net

//////////  
*Agriculture Protective Production*



Shade Net is made of polyethylene (HDPE) material by adding UV stabilizers and anti-oxidants. HDPE sunshade net has the characteristics of lightweight, high-strength, anti-aging, large-area coverage and it has the ability to adjust control environment, optimizing climate and improve plants in the growth of adverse climate conditions.

**Shade Net** is mostly used in agriculture as ventilae shade net for greenhouse, offering the features of light reflection and transmission , breath freely, long usage life and stable performane

- ◆ **Material :** HDPE with UV treated
- ◆ **Shade Rate :** 30% - 95%
- ◆ **Weight :** 30gram/m<sup>2</sup>~380gram/m<sup>2</sup>
- ◆ **Width :** Mono type:1m ~6m,Flat type 1m~12m
- ◆ **Normal Size :** 2X50m/roll,3X50m/roll,4X50m/roll etc
- ◆ **Length :** 30m,50m/roll or as your requirements
- ◆ **Color :** Green, dark green, black, yellow, gray, blue, etc








Weight: 40g/m<sup>2</sup>  
Width: 1-12m  
Length: 50m;100m  
Shade rate: 45%



Weight: 70g/m<sup>2</sup>  
Width: 1-12m  
Length: 50m;100m  
Shade rate: 65%



Weight: 60g/m<sup>2</sup>  
Width: 1-12m  
Length: 50m;100m  
Shade rate: 55%




Weight: 90g/m<sup>2</sup>  
Width: 1-12m  
Length: 50m;100m  
Shade rate: 75%



Weight: 40g/m<sup>2</sup>  
Width: 1-12m  
Length: 50m;100m  
Shade rate: 40%



Weight: 160g/m<sup>2</sup>  
Width: 1-6m  
Length: 50m;100m  
Shade rate: 85%



Weight: 180g/m<sup>2</sup>  
Width: 1-6m  
Length: 50m;100m  
Shade rate: 90%



Weight: 220g/m<sup>2</sup>  
Width: 1-6m  
Length: 50m;100m  
Shade rate: 92%



Weight: 280g/m<sup>2</sup>  
Width: 1-6m  
Length: 50m;100m  
Shade rate: 95%



Weight: 330g/m<sup>2</sup>  
Width: 1-6m  
Length: 50m;100m  
Shade rate: 96%



Weight: 360g/m<sup>2</sup>  
Width: 1-6m  
Length: 50m;100m  
Shade rate: 97%



Weight: 320g/m<sup>2</sup>  
Width: 1-4m  
Length: 50m;100m  
Performance:water





## SHADE SAIL

- Using shade sail made of HDPE (High density polyethylene) material has high sunshade rate and anti ultraviolet effect,

- Using shade sail made of polyester can prevent ultraviolet and water better. 1)

Service life: More than 5 years.

2) Shade rate: 95%.

3) Colors: 15 general colors to choose from (Customizable). 4)

weight: 150-350g/m<sup>2</sup> (Customizable).

5) Product size:

Triangle: 3\*3m 3.6\*3.6m 5\*5m Rectangle:

2\*3m 2\*4m 3\*4m 3.6\*4.8m 4\*6m Square: 3\*3m

3.6\*3.6m 4\*4m 5\*5m

Note: the product dimensions can be customized according to the customer's requirements. 6)

Stainless steel triangle ring or "D" ring at the corners.

7) 25mm or 38mm webbing along the whole edges.

8) Packaging method: Can be packed according to customer requirements, there are PE bag packaging, PVC zipper bag packaging and carton packaging, each product has customer's label and matching rope (1.5m \* 3 or 4).

In that hot summer, protection from the harmful effects of the sun is needed in all outdoor, for example: the garden swimming pool outdoor parking lot etc, all need sunshade very much, shade sail can bring you a little cool in summer.





## WATERPROOF SHADE SAIL

Material: Polyester + PU / PA coating Fabric

weight: 160gsm-280gsm

Product has high waterproof performance.



Beige



Yellow



Orange red



White



Wine red



anthracite



Blue



Dark green





## SHADE SAIL(HDPE)

Material: virgin HDPE+UV resistant

Fabric weight: 150gsm-350gsm

Shade Sail is made of polyethylene (HDPE) material by adding UV stabilizers and anti-oxidants.



Cream




Beige



Red



Grey



Blue



Green




Brown



Khaki




# Installation mode of sunshade sail



First plan the installation position of the shade sail and install the fixing pile.



Fasten the shade sail with the fastener.



Installation completed after fixation.



## Product packaging



PVC zipper bag



Carton packaging







## Balcony net

Material: virgin HDPE+UV resistant

Fabric weight: 150gsm-240gsm

Conventional size: 0.75\*6m 0.9\*4.6m

0.9\*5m 0.9\*6m 1\*5m (Customizable)



Yellow+White



Green+White



Brown+White



Black+White



Blue+Red+White



Cream





Grey+White



Beige



White



Black





Grey



Blue+White

## Installation Method







## PRIVACY FENCE NET

Material: virgin HDPE+UV resistant

Size: 4'\*50' 5'\*50' 5'8"\*50' 6'\*50' 7'8"\*50' 8'\*50'

5'8"\*150' 6'8"\*150' 7'8"\*150' 10'\*150' ETC.

Color: Dark Green,Black,Sand,Blue,Beige,Desert Tan,and so on.. Weight: 80gsm-200gsm.

Shade Rating:70%-95%.

Type:1) Round wire with knitted eyelet;

2) Flat wire Webbing and Grommets;

3) Flat wire with knitted eyelet.

Description: 8cm PE webbing reinforcement edge and Every 60cm with Grass button.







Sand



Dark green



Black




Blue




Beige


## Installation Method




Step 1




Step 2



Step 3



Step 4








## ALERT NET

Used in building, bridge or other project constructions

- Falling objects protection, protect the workers.
- Wind and dust controlling, beautify the construction site.
- Enclosure systems to protect people around.
- Reduce sound pollutions.

Material	Virgin HDPE 100%
Weight/sqm	80gsm;85gsm;100gsm;130gsm(as per required)
Color	Orange;Green;Blue(as per required)
Width	0.5-6m(as per required)
Roll Length	1-200m(as per required)
Package	One roll packed with one strong PE bag with one color label






Weight: 85g/m<sup>2</sup> Color: green  
Width: 1m ; 1.5m Length: 20m; 50m; 100m  
Export market: Japan




Weight: 100g/m<sup>2</sup> Color: orange  
Width: 1m ; 1.5m Length: 20m; 50m; 100m  
Export market: Japan



Weight: 130g/m<sup>2</sup> Color: blue Width: 1m ; 1.5m  
Length: 20m; 50m; 100m  
Export market: Japan



Weight: 40-60g/m<sup>2</sup> Color: green Width: 1m ; 1.5m Length: 50m; 100m  
Export market: African




Weight: 40-60g/m<sup>2</sup> Color: green Width: 1m ; 1.5m Length: 50m; 100m  
Export market: African



Weight: 40-60g/m<sup>2</sup> Color: green Width: 1m ; 1.5m Length: 50m; 100m  
Export market: African





Weight: 60g-120g/m<sup>2</sup>

Color: green

Width: 1m ; 1.5m

Length: 50m;100m

Export market: Japan; Australia;

New Zealand; Afric

Public Fence Netting >>>

## Silt Fence

Public Fence Netting



A silt fence, also referred to as a filter fence/sediment filter/floating silt curtain, is a structure composed primarily of geotechnical fabric and that is used as a form of sediment control on construction sites minimize environmental impacts from sediment-laden stormwater runoff. Silt fence, a widely specified perimeter control practice on construction projects used to retain sediment on-site, has limited performance-based testing data .

These temporary barriers are relatively low in cost, especially when compared to the damages they can prevent. They keep loose soils from traveling into local bodies of water and they also minimize the impact that various forms of development can have on surrounding wildlife.

## SILT FENCE

Black woven polypropylene which is UV stabilised for long life

OEM  
/OEM

GOOD  
PRICE

QUALITY  
FIRST





# Construction Protective Netting

Construction Protective Netting



## Construction Protective Netting

Construction Safety Net-  
Fiberglass Mosquito Screen-  
Scaffolding Net-  
Orange Safety Fence-  
Knitted Orange Fence-



Construction Protective Netting >>>




### Construction Safety Net

Construction Protective Netting




For construction in case of dropping of building materials or work staff, using construction net surround whole building, protecting high space work staff and walking men, also keep working place clean.

- ◆ **Material:** HDPE, PE with UV protection
- ◆ **Shade Rate:** 30% - 95% or as your request.
- ◆ **Weight:** 55g/m2 ~ 240g/m2
- ◆ **Characters:** high strength/easy fixing/environment protection
- ◆ **Colors:** Green, Black, Orange, Gray, Blue, White etc.







Construction Protective Netting >>>




## ALERT NET

Used in building, bridge or other project constructions

- Falling objects protection, protect the workers.
- Wind and dust controlling, beautify the construction site.
- Enclosure systems to protect people around.
- Reduce sound pollutions.

Material	Virgin HDPE 100%
Weight/sqm	80gsm;85gsm;100gsm;130gsm(as per required)
Color	Orange;Green;Blue(as per required)
Width	0.5-6m(as per required)
Roll Length	1-200m(as per required)
Package	One roll packed with one strong PE bag with one color label






Weight: 85g/m<sup>2</sup> Color: green  
Width: 1m ; 1.5m Length: 20m; 50m; 100m  
Export market: Japan




Weight: 100g/m<sup>2</sup> Color: orange  
Width: 1m ; 1.5m Length: 20m; 50m; 100m  
Export market: Japan



Weight: 130g/m<sup>2</sup> Color: blue Width: 1m ; 1.5m  
Length: 20m; 50m; 100m  
Export market: Japan



Weight: 40-60g/m<sup>2</sup> Color: green Width: 1m ; 1.5m Length: 50m; 100m  
Export market: African



Weight: 40-60g/m<sup>2</sup> Color: green Width: 1m ; 1.5m Length: 50m; 100m  
Export market: African



Weight: 40-60g/m<sup>2</sup> Color: green Width: 1m ; 1.5m Length: 50m; 100m  
Export market: African



Weight: 60g-120g/m<sup>2</sup> Color: green Width: 1m ; 1.5m Length: 50m; 100m  
Export market: Japan; Australia; New Zealand; Af



## Fiberglass Mosquito Screen

Construction Protective Netting



ODM/OEM

GOOD PRICE

QUALITY FIRST



Fiberglass Insect Screen is woven from permanent glass yarn which has been coated with a protective vinyl to ensure lasting beauty, colour (black, gray) and flexibility. Fiberglass is noncombustible and will not rust, corrode or stain.

Lightweight and economical, it comes in several different weaves and thread diameters.

18x16 fiberglass insect screen - is used primarily for aluminum window screen and aluminum screen doors. It uses .11" diameter threads with 18 threads per inch vertically and 16 threads per inch horizontally. Openness 59%, light transmission 69%. We use a pvc coated fiberglass, charcoal in color this allows for the best vision through your window, colored mesh obstructs the view.



Material	Fiberglass and PVC coated fiberglass
Mesh size	18x16mesh, 18x14mesh, 16x16mesh, 18x18mesh, 20x18mesh, 6x14mesh, 14x14mesh
Color	white, black, gray and offwhite or as per requirements.
Weight	100g/m <sup>2</sup> , 110g/m <sup>2</sup> , 120g/m <sup>2</sup> , etc . Or produce it according to your needs
Roll width	5" to 108"
Roll length	100'-600'
Package	Each roll is warped with one plastic bag, then 2 ,4 or 6 rolls per carton . The pallet also can be provide d upon request.



# Other Related Products

PE NETTING SERIES



**Cargo Net**

**Material:** PP  
**Rope Dia.** 1~7mm  
**Mesh Size:** 1~12cm  
**Color:** Green, Black, Blue, Red



**Building Safety Net**

**Material:** Nylon/PE/PP  
**Knot Type:** With /Without Knot  
**Mesh Size:** 0.9~6cm  
**Width:** 1~12M




**Sport Netting**

**Material:** HDPE  
**Mesh Size:** 5\*5cm, 4.5\*4.5cm  
**Used in:** Sport Field  
**Color:** Green, Black and so on



**Aluminum Foil Shade Net**

**Material:** Aluminum Foil  
**Weight :** 30g/m2 to 200g/m2  
**Used in:** This screen prevents irradiation damage in plants and fruits and reduces heat in greenhouses during hot days.



**Anti-Wind Net**

**Material:** Nylon/PE  
**Shade Rate :** 20%~95%  
**Weight:** 30g~350g/m2  
**Type:** Warp Knitted



**Bale Net Wrapping**

**Material:** HDPE+UV Stabilized  
**Weight:** 8.33g, 10g, 12g/m2  
**Size:** 1m, 1.23m, 1.3m, 1.7m  
**Color:** White, Green, Red, Beige



## Production Workshop

As 23-year manufacturer and exporter, We have professional and stable suppliers of raw materials so based on the same quality, we can always get lower prices of raw materials.

·3 sets of wire drawing machines,2 sets of drawing flat wire machines. **Production capacity: 12tons/day**

·4sets of 4m Netting machines for round wire, 10sets of 6m Netting machines for round wire,


4 sets of Netting machines for flat wire, **Production capacity: 12tons/day**

·15 sets of sewing machines, **Production capacity :3000pcs/day**

·6 sets of eyelets nailing machines, **Production capacity :3000pcs/day**

·3 sets of rolling packing machines, **Production capacity :500rolls/day**

### The Best Cost Control and Strict Production Management







## Raw Material Warehouse



- The Raw Material is stocked in 1000m<sup>2</sup> Warehouse separately
- We have specific manager to manage the raw material warehouse
- All raw material bags are packed by pallets to prevent the damage from moisture
- The quantity of raw material is not less than 200tons to ensure production



## Warehouse



### Warehouse Management

- We 5,000 sqm warehouse to stock goods
- we have professional warehouse management system, not only keep clean and dry, but also ensure the packing
- All the goods stock respectively according to different orders

PACKING IN ROLL BY PLASTIC  
BAG OR INBALE BY BELT

OUR PACKING  
SUPPORTS  
OEM & ODM





## Quality Assurance

- We regard quality as basic factor for Enterprise development.
- From the raw materials to the final product, we are committed to quality, innovation and desire to go beyond the need of customers. The daily production capacity is 12 MTS.
- We have strict quality control system, all products will be checked carefully at least 3 times (During the production, finished production and before loading by QC), which enables us to guarantee total customer satisfaction.
- Meanwhile, we keep communication with customers in time which enables us to guarantee customer satisfaction



## Loading Details

- We check the container clearly to ensure it without any damaged or damp when loading
- We have own logistic team to ensure the best freight charge and port charge
- We guarantee the maximum quantity of goods can be loaded





# Tarpaulin/Canvas

Tarpaulin/Canvas



## Tarpaulin/Canvas

PE Tarpaulin-  
PVC Tarpaulin-  
Scaffold Sheeting-  
Cotton Canvas-  
pp woven bag-

Tarpaulin/Canvas >>>

### PE Tarpaulin

Tarpaulin/Canvas




**Material :** PE (Inner HDPE Woven Fabric, HDPE laminated both sides )

**Weight :** 50g~300g/m<sup>2</sup>

**Width :** 2 meter or 4 meter without joint. Available for wider fabric by heat sealing. Or as the client's requirement

**Length :** 50m ~ 200m

**Color :** Green, White, Blue, Silver , Blue White, Blue Silver, Blue Orange etc., any colors as the client's requirements.



### Application

**PE Tarpaulin** widely used for truck canopy, ship, cover and cargo storage or transportation in mineral factories and ports.

**PE Tarpaulin** can be used as tents in outside, travel and calamities.

The **PE Tarpaulin** is to cover and protect the goods in the open air.





Tarpaulin/Canvas >>>

## PP Woven Bag

Tarpaulin/Canvas



Our plastic PP Woven Bags are widely used for:

- grains like rice and corn
- food like flour and sugar
- chemical products like fertilizer
- building materials like cement and sand
- disposable garbage for shipping daily rubbish and construction waste
- square bottom valve bag for cement packing



<b>Weight</b>	50g,55g,60g as per required size
<b>Length</b>	As your requirement
<b>Mesh</b>	8x8 to14x14
<b>Size</b>	42×68cm,50×80cm,60×100cm,55×105cm
<b>Denier</b>	350d to 1200d

Tarpaulin/Canvas >>>

## PVC Tarpaulin

Tarpaulin/Canvas






**PVC Tarpaulin** is made of high strength polyester canvas fabric,  
coated with polyvinyl chloride (PVC) paste resin with  
addition of variety of chemical additives

**PVC Tarpaulin** is used for truck cover, truck  
tarps, trailer cover, trailer tarps, machine cover, lumber  
tarps, steel tarps, car cover, general protection shield,  
trailer cover, instrument shield, equipment shield,  
tent, truck cover, container cover, furniture cover, chair  
cover etc.

<b>Material</b>	100%Polyester with PVC coated on both sides
<b>Weight</b>	300gms to 1500gms
<b>Color</b>	Any color is available
<b>Size</b>	1.02-3.2m*50m, 1.02-3.2m*100m
<b>Denier</b>	500Dx500D, 1000Dx1000D
<b>Surface</b>	Glossy, Matte



Tarpaulin/Canvas >>>

## Cotton Canvas

Tarpaulin/Canvas



Cotton Canvas tarpaulins are the most earth-friendly way to go, as these tarpaulins are made of 100% cotton fabric with either wax coat or chemical coat. Canvas tarpaulins are water and mildew resistant. These tarps are idealistic for agricultural purpose, truck covers, boat covers, construction sites, machinery covers, camping covers, and various other industrial applications.

We provide different sizes and OZs and colors as per our customer specifications and needs.

### Features and advantages:

- 1) High tensile strength, tear strength and adhesion
- 2) Anti-UV, anti-mildew, water proof and weather resistant
- 3) Flame retardant and fade resistant
- 4) Various colors available
- 5) Competitive prices.





## Production Workshop

As 23-year manufacturer and exporter, We have professional and stable suppliers of raw materials, so based on the same quality, we can always get lower prices of raw materials.

- 4 sets of wire drawing machines. **Production capacity: 25tons/day**
- 80 sets of weaving machines. **Production capacity: 25tons/day**
- 2 sets of laminated-film machines, **Production capacity :60tons/day**
- 2 heat sealing machines, **Production capacity :20tons/day**
- 4 packing machines, **Production capacity :20tons/day**







## Raw Material Warehouse




- The Raw Material is stocked in 1000m<sup>2</sup> Warehouse, New Material and Recycle material is stored separately
- All raw material bags are packed by pallets to prevent the damage from moisture
- The quality of raw material is not lower than 200tons to ensure production



## Warehouse



- We have more than 5,000 sqm warehouse to stock goods
- we have professional warehouse management system, not only keep clean and dry, but also ensure the packing
- All the goods stock respectively according to different orders
- As long as the goods exceeds 3% of the damage, we will conduct full inspection






**Quality Assurance**



- We regard quality as basic factor for Enterprise development
- From the raw materials to the final product, we are committed to quality, innovation and a desire to go beyond the needs of customer
- The daily production capacity is 25 MTS
- We have strict quality control system, all products will be checked carefully at least 3 times during the production, finished production and before loading by QC, which enables us to guarantee total customer satisfaction
- Meanwhile, we keep communication with customers in time which enable us to guarantee customer satisfaction



Inferior raw materials in other parts of the factory



Shoddy cloth  
other parts of the factory





# ABOUT US

## Welcome to Tuohua!

Tuohua is a wholly-owned private enterprise which was established in 1996 by Mr Zhang. All products have passed ISO9001:2008 International quality management system. Meanwhile Our company have passed BV BV certification and TUV certification

In 1996, the first factory of wire mesh was founded, Main products: Wire and Wire Mesh. We have own wire drawing machines welded wire machines and Galvanizing production line.

In 2006, we started to focus on Outdoor waterproof and Outdoor shading solution. Main products: Shade Net, Scaffold Net, PE Tarpaulin, PP Ground cover, PE Agriculture Netting and so on.

In 2009, We established exporting sales Headquarter which is located in Shijiazhuang, Hebei Province.

·Hebei Tuohua Metal Products Co.,Ltd (Head Office in Hebei,China) was established in 1996


·Tuohua Enterprises PTE.,Ltd (Branch in Singapore) was established in 2018

·The Plastic Netting factory was founded in 2006, located in binzhou city, Shandong province

·The Plastic Fabric factory was founded in 2009, located in linyi city, Shandong province



## ORGANIZATION CHART






Our goal is to be the quick, accurate and popular source of choice to help you gain the market.


### Our advantages:

- Own Factory since 1996
- Sophisticated Cost Control System
- Strict Quality Management System
- Environmental Storage System
- Professional logistic Team
- Passionate 24hour Sales Team



## OUR QUALITY ASSURANCE

TuoHua Manufacturer regard quality as basic factor for Enterprise development. From the processing of our raw materials to the completion of the final product, we are committed to quality, innovation and a desire to go beyond the needs of customer. We have strict quality control system, all products will be checked carefully at least 3 times (during the production, finished production and before loading by QC) which enables us to guarantee TOTALLY customer satisfaction. Meanwhile, we keep reporting to customers in time which enables us to guarantee total customer satisfaction






## ABOUT COST CONTROL

TuoHua company has been found for more than 20 years. We adopt the advanced ERP Management System, which can be effective in cost control and risk control, optimize and change the traditional process, improve the operating efficiency. We have professional and stable suppliers of raw materials, so base on the same quality, we can always get lower prices of raw materials. And we have our own transport team, which can reduce a lot of extra transport cost to help you extend market.

## OUR ORDER FOLLOW PROCESS

### ORDER FOLLOW



## TUOHUA IN EXHIBITIONS

We participate in domestic and international exhibitions every year, including Canton Fair in China, Las Vegas Hardware Exhibition in USA, Spoga+Gafa Exhibition in Germany, Design Build Expo in Australia, Batimat in France, Big5 in UAE, China Trade Show in Kenya etc.



In Canton Fair



In Cologne



In Las Vegas



In Dubai



In Paris



In Kenya



# TUOHUA SALES TEAM

## Full of passion and vigor of the marketing team

- Young energy and professional sales team working 7X24hours, who could provide timely and accurate feedback.
- If you are new in this industry, pls come to us, we will give you the most professional advice on the production
- If you are professional in this industry, pls come to us, we'll offer you competitive price and the best delivery time

## TEAM SHOW

*Welcome to Join us*



# WE APPRECIATE YOUR SUPPORT!

## WELCOME TO CONTACT WITH US!

Tel: +86 18632802615

Email:sales@wiremeshofchina.com

Website:www.wiremeshofchina.com

Alibaba 10 year Golden shop:[www.wiremeshofchina.cn](http://www.wiremeshofchina.cn)





**TUOHUA**  
**Manufacture**  
SINCE 1996

**WE APPRECIATE YOUR SUPPORT!**

**WELCOME TO CONTACT WITH US!**

**Tel: +86 18632802615**

**Email:sales@wiremeshofchina.com**

**Website:www.wiremeshofchina.com**

**Alibaba 10 year Golden shop:www.wiremeshofchina.cn**